



EMC Test Report

Report Number: UCSCE-2007-0088

Applicant

Kobol Innovations Pte. Ltd
101 Cecil Street #26-01/07 Tong Eng Building Singapore 069533

Manufacturer

Kobol Innovations Pte. Ltd
101 Cecil Street #26-01/07 Tong Eng Building Singapore 069533

Test information

Test product: **Single Board Computer**

Test model name: **Helios64**

Received number: **UCS-R-2020-1375**

Test date: **2020.07.14 ~ 2020.07.15**

Issued Date: **2020.07.22**

Test standards

EN 55032:2012

EN 61000-3-2:2014

EN 61000-3-3:2013

EN 55035:2017

The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
This Test Report cannot be reproduced, except in full.

Tested by: J. W. Im

Approved by: I.Y. Jeong



Product information

SoC	
SoC Model	Rockchip RK3399 - Hexacore 2x Cortex-A72 + 4x Cortes-A53
SoC Architecture	ARMv8-A 64-bit
CPU Frequency	A72 : 1.8 GHz A53 : 1.4 GHz
Additional Features	- GPU Mali-T860MP4 - Video Encode/Decoder Engines - Security Acceleration Engines - Secure Boot
Memory	
LPDDR4 RAM	4GB
eMMC 5.1 NAND Flash	16GB
SPI NOR Flash	128Mb
HDD/SSD Interfaces	
SATA 3.0 Ports	5
M.2 SATA 3.0 Slot	1 (shared with SATA port 1)
Max Raw Capacity	80 TB (16 TB drive x 5)
External Interfaces	
Multi-Gigabit LAN Port (2.5Gbe)	1
Gigabit LAN Port (1Gbe)	1
USB Type-C	1
USB 3.0	3
microSD (SDIO 3.0)	1
Developer Interfaces	
GPIO	16
I2C	1
UEXT	1
Others	
PWM FAN	2
On-Board HDD Power	yes
Built-in UPS	yes
RTC Battery	yes
DC input	Dual 12V inputs
Wake-on-LAN	yes
Front Panel Extension	yes

Specifications: Refer to the manual

Contents

1. Testing laboratory.....	5
1.1 Location.....	5
2. Test Configuration and Condition	6
2.1 EUT operating condition	6
2.2 EUT test configuration diagram	6
2.3 Peripheral equipments list for test	6
2.4 Cable connections	7
2.5 Information of the instruction for class A ITE.....	7
2.6 EUT modifications	7
3. Summary of Test Results.....	8
3.1 Summary of test results	8
3.2 Performance of criteria	8
4. Test Results	9
4.1 Conducted disturbance	9
4.2 Radiated disturbance (below 1 GHz)	15
4.3 Radiated disturbance (above 1 GHz).....	18
4.4 Harmonics current emissions	23
4.5 Voltage changes, Voltage fluctuations and flicker	30
4.6 Electrostatic discharge.....	32
4.7 Radiated RF electromagnetic field immunity.....	34
4.8 Electric fast transient/burst immunity	37
4.9 Surge immunity	39
4.10 Conducted disturbance induced by RF fields immunity.....	41
4.11 Voltage dips and short interruptions	43
5. EUT Photos	45
5.1 Test Setup Photographs	45
5.1.1 Conducted disturbance (AC mains power ports).....	45
5.1.2 Conducted disturbance (Telecommunication ports)	46
5.1.3 Radiated disturbance (below 1 GHz).....	47
5.1.3 Radiated disturbance (above 1 GHz).....	48
5.1.4 Harmonics current emissions	49
5.1.5 Voltage changes, Voltage fluctuations and flicker	49
5.1.6 Electrostatic discharge.....	50
5.1.7 Radiated RF electromagnetic field immunity.....	51



5.1.8 Electric fast transient/burst immunity.....52
 5.1.9 Surge immunity52
 5.1.10 Conducted disturbance induced by RF fields immunity.....53
 5.1.11 Voltage dips and short interruptions53
 5.2 External Photographs of EUT54

Revision History

Issued Report No.	Issued Date	Revisions	Effect Section
UCSCE-2007-0088	22-July-2020	Initial Issue	All

This report shall not be reproduced except in full, without the written approval of UCS Co., Ltd.

This document may be altered or revised by UCS Co., Ltd. personnel only, and shall be noted in the revision section of the document.

Any alteration of this document not carried out by UCS Co., Ltd. will constitute fraud and shall nullify the document.

1. Testing laboratory

1.1 Location

UCS Co., Ltd.

Office: #702, 268, Hagui-ro, Dongan-gu, Anyang-si, Gyeonggi-do, 14056, KOREA.

Tel: +82-1833-5681

Fax: +82-31-420-5685



EMC Center: 161-8, Ansandong-gil, Hwaseong-si, Gyeonggi-do, Korea

EMC Test Site: 35-13, Hwalcho-gil, 109beon-gil, Hwaseong-si, Gyeonggi-do, 18278, Korea

Tel: +82-1833-5681

Fax: +82-31-355-5848

Laboratory Accreditations and Listings

Country	Agency	Registration Number	Logo
USA	FCC	803225	
KOREA	RRA	KR0045	
KOREA	KOLAS	KT263	


2. Test Configuration and Condition

2.1 EUT operating condition

- After connecting EUT and peripherals, the EUT was observed under controlled conditions using the PuTTY program continuously during the test

- Input power condition during the measurements was 230 V~, 50 Hz.

2.2 EUT test configuration diagram



2.3 Peripheral equipments list for test

Equipment Name	Model	Serial Number	Manufacturer
Single Board Computer	Helios64	-	Kobol Innovations Pte. Ltd.
AC/DC Adapter	Yczx1210000T	-	-
S.S.D 1	WDS120G2G0A-00JH30	-	Western Digital Corporation
S.S.D 2		-	
S.S.D 3		-	
S.S.D 4		-	
S.S.D 5		-	
Notebook Computer1	NT501	-	SAMSUNG
Notebook Computer2	X40-D	-	Dynabook Technology (Hangzhou) Inc.
SD card	-	-	San Disk
FAN	-	-	-

USB Memory1	SDCZ73-032G	-	San Disk
USB Memory2		-	San Disk
USB Memory3		-	San Disk
USB Memory4		-	San Disk

2.4 Cable connections

Start		End		Cable	
Name	I/O Port	Name	I/O Port	Length (m)	Spec.
Single Board Computer (EUT)	DC in	AC/DC Adapter	DC out	1.0	Shield / Core
	DC out	S.S.D 1,2,3,4,5	DC in	0.5	Unshield
	SATA1,2,3,4,5	-	SATA1,2,3,4,5	0.5	Shield
	USB	USB Memory1,2,3	-	0.6	Shield
	USB C Type	USB Memory4	-	0.7	Shield
	FAN POWER	FAN SD card	-	0.2	Unshield
	SD slot		-	-	-
	LAN1	Notebook Computer1	LAN	3.0	Shield
	LAN2	Notebook Computer2	USB	3.2	Shield

2.5 Information of the instruction for class A ITE

- Class A equipment shall have the following warning in the instructions for use, to inform the user of the risk of operating this equipment in a residential environment:

WARNING

This equipment is compliant with Class A of CISPR 32.

In a residential environment this equipment may cause radio interference.

2.6 EUT modifications

- None

3. Summary of Test Results

3.1 Summary of test results

Standard	Test Item	Results
EN 55032:2012	Conducted emissions at the AC mains power ports	Met Class A / Pass
	Asymmetric mode conducted emissions	Met Class A / Pass
	Conducted differential voltage emissions	N/A (See Note 1)
	Radiated emissions	Met Class A / Pass
EN 61000-3-2:2014	Harmonics current emissions	Met Class A / Pass
EN 61000-3-3:2013	Voltage changes, Voltage fluctuations and flicker	Met / Pass
EN 55035:2017	Electrostatic discharge	A Met by Criterion / Pass
	Radiated RF electromagnetic field immunity	A Met by Criterion / Pass
	Electrical fast transient/burst immunity	A Met by Criterion / Pass
	Surge immunity	A Met by Criterion / Pass
	Conducted disturbance induced by RF fields immunity	A Met by Criterion / Pass
	Magnetic field immunity	N/A (See Note 2)
	Voltage dips and short interruptions	A and C Met by Criterion / Pass

* Note 1: This test is not performed because the EUT is does not have TV/FM broadcast receiver tuner ports and RF modulator output ports.

* Note 2: The EUT does not contain devices susceptible to magnetic fields, so the test was not performed.

3.2 Performance of criteria

Performance criterion A

During and after the test the EUT shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed below a minimum performance level specified by the manufacturer when the EUT is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the EUT if used as intended.

Performance criterion B

After the test, the EUT shall continue to operate as intended without operator intervention. No degradation of performance or loss of function is allowed, after the application of the phenomena below a performance level specified by the manufacturer, when the EUT is used as intended. The performance level may be replaced by a permissible loss of performance. During the test, degradation of performance is allowed. However, no change of operating state or stored data is allowed to persist after the test. If the minimum performance level (or the permissible performance loss) is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the EUT if used as intended.

Performance criterion C

During and after testing, a temporary loss of function is allowed, provided the function is selfrecoverable, or can be restored by the operation of the controls or cycling of the power to the EUT by the user in accordance with the manufacturer's instructions. Functions, and/or information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

4. Test Results

4.1 Conducted disturbance

Test Standard	EN 55032:2012, Class A		
Test venue	Shield Room 2		
Tested Date	2020.07.14		
Input Ratings	230 V~, 50 Hz		
Temperature	20.5 °C	Humidity	41.2 % R.H.
Test result	Met Class A / Pass		

4.1.1 Limit

AC mains power ports

Frequency range [MHz]	Coupling device	Detector type / bandwidth	Class A limits [dB μ V]
0.15 ~ 0.5	AMN	Quasi Peak / 9 kHz	79
0.5 ~ 30			73
0.15 ~ 0.5	AMN	Average / 9 kHz	66
0.5 ~ 30			60

Frequency range [MHz]	Coupling device	Detector type / bandwidth	Class B limits [dB μ V]
0.15 ~ 0.5	AMN	Quasi Peak / 9 kHz	66 ~ 56
0.5 ~ 5			56
5 ~ 30			60
0.15 ~ 0.5	AMN	Average / 9 kHz	56 ~ 46
0.5 ~ 5			46
5 ~ 30			50

Asymmetric mode

Frequency range [MHz]	Coupling device	Detector type / bandwidth	Class A voltage limits [dB μ V]
0.15 ~ 0.5	AAN	Quasi Peak / 9 kHz	97 ~ 87*
0.5 ~ 30			87
0.15 ~ 0.5	AAN	Average / 9 kHz	84 ~ 74*
0.5 ~ 30			74

Frequency range [MHz]	Coupling device	Detector type / bandwidth	Class B voltage limits [dB μ V]
0.15 ~ 0.5	AAN	Quasi Peak / 9 kHz	84 ~ 74
0.5 ~ 30			74
0.15 ~ 0.5	AAN	Average / 9 kHz	74 ~ 64
0.5 ~ 30			64

* The limit decreases linearly with the logarithm of frequency.

4.1.2 Test set-up and procedure

The mains terminal disturbance voltage was measured with the equipment under test (EUT) in a shield room.

The EUT was connected to an artificial mains network (LISN) placed on the floor.

The EUT was placed on non-metallic table 0.8 m above the metallic, grounded floor.

Amplitude measurements were performed with a quasi-peak detector and an average detector.

4.1.3 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
Test Receiver	ESPI3	101171	ROHDE & SCHWARZ	2020.08.01	<input type="checkbox"/>
Test Receiver	ESR7	101120	ROHDE & SCHWARZ	2020.08.01	<input checked="" type="checkbox"/>
Test Receiver	ESR7	101184	ROHDE & SCHWARZ	2021.01.30	<input type="checkbox"/>
LISN	NSLK 8127	8127518	SCHWARZBECK	2020.08.01	<input type="checkbox"/>
Two-Line V-Network	ENV216	3560.6550.12-101874-Rq	ROHDE & SCHWARZ	2020.08.01	<input type="checkbox"/>
Two-Line V-Network	ENV216	3560.6550.12-102073-Ax	ROHDE & SCHWARZ	2020.08.01	<input checked="" type="checkbox"/>
Four-Line V-Network	ENV432	101284	ROHDE & SCHWARZ	2020.08.01	<input type="checkbox"/>
EMI Receiver	9010	274WX90601	PMM	2020.08.01	<input type="checkbox"/>
ISN	ISN T800	30813	TESEQ	2021.01.31	<input checked="" type="checkbox"/>
ISN	ISN T8-Cat6	29709	TESEQ	2021.01.31	<input type="checkbox"/>
ARTIFICIAL MAINS NETWORK	L3-32	1220X20311	PMM	-	<input type="checkbox"/>

4.1.4 Test data (AC mains power ports)

- Frequency range : 150 kHz ~ 30 MHz
- Bandwidth : 9 kHz

[Quasi-Peak]

Frequency [MHz]	LISN [dB]	Cable Loss [dB]	Line [H/N]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB]
0.152	9.74	0.01	H	79.00	49.94	59.69	-19.31
0.188	9.89	0.02	H	79.00	46.48	56.39	-22.61
0.206	9.77	0.04	N	79.00	44.48	54.29	-24.71
1.999	9.64	0.11	N	73.00	28.34	38.09	-34.91
17.540	9.70	0.28	N	73.00	31.55	41.53	-31.47

[Average]

Frequency [MHz]	LISN [dB]	Cable Loss [dB]	Line [H/N]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB]
Average mode was not recorded, because Quasi-Peak values were under the Average limit.							

* Remark: "H" Hot Line, "N" Neutral Line


* **Results [dB μ V]** = Reading [dB μ V] + LISN [dB] + Cable Loss [dB]

* **Margin [dB]** = Results [dB μ V] – Limit [dB μ V]




4.1.5 Test graph (AC mains power ports)

[Hot line]



[Neutral line]



4.1.6 Test data (Telecommunication ports)

- Frequency range : 150 kHz ~ 30 MHz
- Bandwidth : 9 kHz

[ISN 1000 Mbps – LAN 1]

[Quasi-Peak]

Frequency [MHz]	ISN [dB]	Cable Loss [dB]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB]
0.76	9.47	0.03	87.00	39.37	48.87	-38.13
3.17	9.34	0.17	87.00	44.47	53.98	-33.02
6.46	9.32	0.19	87.00	54.16	63.67	-23.33
17.85	9.37	0.29	87.00	52.09	61.75	-25.25

[Average]

Frequency [MHz]	ISN [dB]	Cable Loss [dB]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB μ V]
Average mode was not recorded, because Quasi-Peak values were under the Average limit.						

* Results [dB μ V] = Reading [dB μ V] + ISN [dB] + Cable Loss [dB]

* Margin [dB] = Results [dB μ V] - Limit [dB μ V]

[ISN 2500 Mbps – LAN 2]

[Quasi-Peak]

Frequency [MHz]	ISN [dB]	Cable Loss [dB]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB]
0.76	9.47	0.03	87.00	39.44	48.94	-38.06
3.17	9.34	0.17	87.00	44.21	53.72	-33.28
6.58	9.32	0.18	87.00	54.00	63.50	-23.50
17.59	9.37	0.28	87.00	51.05	60.70	-26.30

[Average]



Frequency [MHz]	ISN [dB]	Cable Loss [dB]	Limit [dB μ V]	Reading [dB μ V]	Results [dB μ V]	Margin [dB μ V]
Average mode was not recorded, because Quasi-Peak values were under the Average limit.						

* Results [dB μ V] = Reading [dB μ V] + ISN [dB] + Cable Loss [dB]

* Margin [dB] = Results [dB μ V] - Limit [dB μ V]



4.1.7 Test graph (Telecommunication ports)



4.2 Radiated disturbance (below 1 GHz)

Test Standard	EN 55032:2012, Class A		
Test venue	10 m chamber		
Tested Date	2020.07.14		
Input Ratings	230 V~, 50 Hz		
Temperature	20.6 °C	Humidity	41.0 % R.H.
Test result	Met Class A / Pass		

4.2.1 Limit

Frequency range [MHz]	Measurement		Class A limits [dB μ V/m]
	Distance [m]	Detector type / bandwidth	
30 ~ 230	10	Quasi Peak / 120 kHz	40
230 ~ 1 000			47
30 ~ 230	3		50
230 ~ 1 000			57

Frequency range [MHz]	Measurement		Class B limits [dB μ V/m]
	Distance [m]	Detector type / bandwidth	
30 ~ 230	10	Quasi Peak / 120 kHz	30
230 ~ 1 000			37
30 ~ 230	3		40
230 ~ 1 000			47

4.2.2 Test set-up and procedure

A pretest was performed at 3 m distance in a semi-anechoic chamber for searching correct frequency.

The final test was done at a 10 m open area test site with a quasi-peak detector.

EUT was placed on a non-metallic table height of 0.8 m above the reference ground plane.

Cables were folded back and forth forming a bundle 0.3 m to 0.4 m long and were hanged at a 0.4 m height to the ground plane.

Cables connected to EUT were fixed to cause maximum emission. Test was made with the antenna positioned in both the horizontal and vertical planes of polarization.

The measurement antenna was varied in height above the conducting ground plane to obtain the maximum signal strength.

4.2.3 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
Test Receiver	ESPI3	101171	ROHDE & SCHWARZ	2020.08.01	□
Test Receiver	ESR7	101969	ROHDE & SCHWARZ	2020.08.01	■
BI-LOG ANT	VULB 9163	700	SCHWARZBECK	2021.07.12	■
Antenna Mast	MA4000-EP	-	Innco systems GmbH	-	■
Turntable	DT3000-t2	-	Innco systems GmbH	-	■
Controller	CO3000	CO3000/969/3942 1016/L	Innco systems GmbH	-	■
Horn Antenna	BBHA 9120 D	768	Schwarzbeck	2020.11.06	□
Antenna Mast	MA4640/800-XP-ET	-	Innco systems GmbH	-	□
Microwave Preamplifier	8449B	3008A02014	Agilent	2021.01.31	□
RF AMPLIFIER	8447F	2944A04074	H.P	2021.01.30	■

4.2.4 Test data (Below 1 GHz)

- Frequency range : 30 MHz ~ 1 000 MHz
- Bandwidth : 120 kHz
- Distance : 10 m

Frequency [MHz]	Reading [dBμV]	Antenna Polarity [H/V]	Height [m]	Antenna Factor [dB/m]	Cable Loss [dB]	Amp. Gain [dB]	Results [dBμV/m]	Limit [dBμV/m]	Margin [dB]
54.65	35.97	V	1.00	19.44	1.63	26.67	30.37	40.00	-9.63
151.77	39.37	H	4.00	14.20	2.55	26.33	29.79	40.00	-10.21
210.10	42.87	V	1.00	16.90	3.04	26.07	36.74	40.00	-3.26
375.00	40.84	H	4.00	20.87	4.10	26.47	39.34	47.00	-7.66


* Remark: "H" Horizontal, "V" Vertical

* **Results [dBμV/m]** = Reading [dBμV] + Antenna Factor [dB/m] + Cable Loss [dB] – Amp. Gain [dB]


* **Margin [dB]** = Results [dBμV/m] – Limit [dBμV/m]

4.2.5 Test graph (Below 1 GHz)

[Horizontal]



[Vertical]



4.3 Radiated disturbance (above 1 GHz)

Test Standard	EN 55032:2012, Class A		
Test venue	10 m chamber		
Tested Date	2020.07.14		
Input Ratings	230 V~, 50 Hz		
Temperature	20.8 °C	Humidity	41.2 % R.H.
Test result	Met Class A / Pass		

4.3.1 Limit

Frequency range [MHz]	Measurement		Class A limits [dB μ V/m]
	Distance [m]	Detector type / bandwidth	
1 000 ~ 3 000	3	Peak / 1 MHz	76
3 000 ~ 6 000			80
1 000 ~ 3 000		Average / 1 MHz	56
3 000 ~ 6 000			60

Frequency range [MHz]	Measurement		Class B limits [dB μ V/m]
	Distance [m]	Detector type / bandwidth	
1 000 ~ 3 000	3	Peak / 1 MHz	70
3 000 ~ 6 000			74
1 000 ~ 3 000		Average / 1 MHz	50
3 000 ~ 6 000			54

4.3.2 Test set-up and procedure

The final test was done at a 3 m chamber with a peak and average detector.

EUT was placed on a non-metallic table height of 0.8 m above the reference ground plane.

Cables were folded back and forth forming a bundle 0.3 m to 0.4 m long and were hanged at a 0.4 m height to the ground plane.

Cables connected to EUT were fixed to cause maximum emission.

Test was made with the antenna positioned in both the horizontal and vertical planes of polarization.

The measurement antenna was varied in height above the conducting ground plane to obtain the maximum signal strength.



4.3.3 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
Test Receiver	ESPI3	101171	ROHDE & SCHWARZ	2020.08.01	<input type="checkbox"/>
Test Receiver	ESR7	101969	ROHDE & SCHWARZ	2020.08.01	<input checked="" type="checkbox"/>
BI-LOG ANT	VULB 9163	700	SCHWARZBECK	2021.07.12	<input type="checkbox"/>
Antenna Mast	MA4000-EP	-	Innco systems GmbH	-	<input type="checkbox"/>
Turntable	DT3000-t2	-	Innco systems GmbH	-	<input checked="" type="checkbox"/>
Controller	CO3000	CO3000/969/3942 1016/L	Innco systems GmbH	-	<input checked="" type="checkbox"/>
Horn Antenna	BBHA 9120 D	768	Schwarzbeck	2020.11.06	<input checked="" type="checkbox"/>
Antenna Mast	MA4640/800-XP-ET	-	Innco systems GmbH	-	<input checked="" type="checkbox"/>
Microwave Preamplifier	8449B	3008A02014	Agilent	2021.01.31	<input checked="" type="checkbox"/>
RF AMPLIFIER	8447F	2944A04074	H.P	2021.01.30	<input type="checkbox"/>

4.3.4 Test data (above 1 GHz)

- Frequency range : 1 000 MHz ~ 6 000 MHz
- Bandwidth : 1 MHz
- Distance : 3 m

[Horizontal]

[Peak]

Frequency [MHz]	Reading [dB μ V]	Height [m]	Antenna Factor [dB/m]	Cable Loss [dB]	Amp. Gain [dB]	Results [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
1 228	55.61	1.00	24.33	5.70	37.26	48.38	76.00	-27.62
1 402	54.08	1.00	24.72	6.18	36.98	48.00	76.00	-28.00
1 763	54.62	1.00	25.52	7.11	36.53	50.72	76.00	-25.28
2 147	53.51	1.00	26.47	8.04	36.26	51.76	76.00	-24.24
3 001	49.07	1.00	28.41	9.93	36.14	51.27	80.00	-28.73
5 996	44.00	1.00	32.45	14.24	35.18	55.51	80.00	-24.49

* Results [dB μ V/m] = Reading [dB μ V] + Antenna Factor [dB/m] + Cable Loss [dB] – Amp. Gain [dB]

* Margin [dB] = Results [dB μ V/m] – Limit [dB μ V/m]

[Average]

Frequency [MHz]	Reading [dB μ V]	Height [m]	Antenna Factor [dB/m]	Cable Loss [dB]	Amp. Gain [dB]	Results [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
1 228	45.48	1.00	24.33	5.70	37.26	38.25	56.00	-17.75
1 402	40.06	1.00	24.72	6.18	36.98	33.98	56.00	-22.02
1 763	42.91	1.00	25.52	7.11	36.53	39.01	56.00	-16.99
2 147	40.77	1.00	26.47	8.04	36.26	39.02	56.00	-16.98
3 001	36.66	1.00	28.41	9.93	36.14	38.86	60.00	-21.14
5 996	30.71	1.00	32.45	14.24	35.18	42.22	60.00	-17.78

* Results [dB μ V/m] = Reading [dB μ V] + Antenna Factor [dB/m] + Cable Loss [dB] – Amp. Gain [dB]

* Margin [dB] = Results [dB μ V/m] – Limit [dB μ V/m]

[Vertical]

[Peak]

Frequency [MHz]	Reading [dBμV]	Height [m]	Antenna Factor [dB/m]	Cable Loss [dB]	Amp. Gain [dB]	Results [dBμV/m]	Limit [dBμV/m]	Margin [dB]
2 241	52.75	1.00	26.74	8.25	36.26	51.48	76.00	-24.52
2 415	51.29	1.00	27.25	8.63	36.25	50.92	76.00	-25.08
2 682	50.24	1.00	27.82	9.22	36.21	51.07	76.00	-24.93
3 001	47.83	1.00	28.41	9.93	36.14	50.03	80.00	-29.97
3 290	47.87	1.00	28.56	10.36	35.96	50.83	80.00	-29.17
5 989	45.29	1.00	32.44	14.21	35.18	56.76	80.00	-23.24

* Results [dBμV/m] = Reading [dBμV] + Antenna Factor [dB/m] + Cable Loss [dB] – Amp. Gain [dB]

* Margin [dB] = Results [dBμV/m] – Limit [dBμV/m]

[Average]

Freq. [MHz]	Reading [dBμV]	Height [m]	Antenna Factor [dB/m]	Cable Loss [dB]	Amp. Gain [dB]	Results [dBμV/m]	Limit [dBμV/m]	Margin [dB]
2 241	41.26	1.00	26.74	8.25	36.26	39.99	56.00	-16.01
2 415	39.58	1.00	27.25	8.63	36.25	39.21	56.00	-16.79
2 682	38.73	1.00	27.82	9.22	36.21	39.56	56.00	-16.44
3 001	36.01	1.00	28.41	9.93	36.14	38.21	60.00	-21.79
3 290	36.05	1.00	28.56	10.36	35.96	39.01	60.00	-20.99
5 989	31.42	1.00	32.44	14.21	35.18	42.89	60.00	-17.11

* Results [dBμV/m] = Reading [dBμV] + Antenna Factor [dB/m] + Cable Loss [dB] – Amp. Gain [dB]

* Margin [dB] = Results [dBμV/m] – Limit [dBμV/m]


Radiated emission electric field intensity, above 1 GHz: 4.8 dB

The measurement uncertainty is given with a confidence of 95 % with the coverage factor, $k = 2$




4.3.5 Test graph (above 1 GHz)

[Horizontal]



[Vertical]



4.4 Harmonics current emissions

Test Standard	EN 61000-3-2:2014		
Test venue	Shield Room 3		
Tested Date	2020.07.14		
Input Ratings	230 V~, 50 Hz		
Temperature	20.0 °C	Humidity	40.4 % R.H.
Test result	Met Class A / Pass		

4.4.1 Test setup and procedure

The equipment is supplied in series with shunt(s) Rms or current transformer(s) from a source having the same Nominal voltage and frequency as the rated supply voltage and frequency of the Measurements shall be made under Normal load, or conditions for adequate heat discharge, and underequipment.

Normal operating conditions. User's operation controls or automatic programmers shall be set to produce the maximum harmonic component, for each successive harmonic component in turn. For the purpose of harmonic current limitation, equipment is classified as follows:

Class A : Equipment not specified in one of the three other Classes shall be considered as Class A equipment.

- Balanced three-phase equipment;
- Household appliances, excluding equipment identified as class D;
- Tools, excluding portable tools;
- Dimmers for incandescent lamps;
- Audio equipment.

Class B:

- portable tools;
- arc welding equipment which is not professional equipment.

Class C:

- lighting equipment.

Class D: Equipment having a specified power according to 6.2.2 less than or equal to 600 W, of the following types:

- personal computers and personal computer monitors;
- television receivers.
- refrigerators and freezers having one or more variable-speed drives to control compressor motor(s).

4.4.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
Hamonics/Flicker	5001IX-208-150/300	S59160	C.I.	2020.08.07	<input type="checkbox"/>
Precision Power Analyzer	LMG670	01621511	ZES ZIMMER	2021.02.04	<input checked="" type="checkbox"/>
Reference Impedance	NI2415	A1511107	PACIFIC POWER SOURCE	-	<input checked="" type="checkbox"/>
AC Power Source	360-AMX	1774	PACIFIC POWER SOURCE	-	<input checked="" type="checkbox"/>
Waveform Generator	-	-	PACIFIC POWER SOURCE -	-	<input type="checkbox"/>



4.4.3 Test data

Test Name	Test Result	Limit Usage	Info
Supply Voltage Frequency Test (61000-4-7) [L1]	OK		50.00 Hz (50.00 Hz ± 0.5%)
Supply peak voltage test (61000-4-7) [L1]	OK		
Positive peak test	OK		All positive peak values within the allowed range
Negative peak test	OK		All negative peak values within the allowed range
Supply peak position test (61000-4-7) [L1]	OK		All peak values within the allowed range
Supply Voltage Harmonic Distortion Test (61000-4-7) [L1]	OK		
Voltage Distortion H2	OK	3.6%	0.01% < 0.20%
Voltage Distortion H3	OK	4.1%	0.04% < 0.80%
Voltage Distortion H4	OK	3.4%	0.01% < 0.20%
Voltage Distortion H5	OK	5.2%	0.02% < 0.40%
Voltage Distortion H6	OK	1.6%	0.00% < 0.20%
Voltage Distortion H7	OK	8.4%	0.03% < 0.30%
Voltage Distortion H8	OK	2.1%	0.00% < 0.20%
Voltage Distortion H9	OK	9.8%	0.02% < 0.20%
Voltage Distortion H10	OK	4.4%	0.01% < 0.20%
Voltage Distortion H11	OK	22.3%	0.02% < 0.10%
Voltage Distortion H12	OK	8.5%	0.01% < 0.10%
Voltage Distortion H13	OK	18.3%	0.02% < 0.10%
Voltage Distortion H14	OK	4.6%	0.00% < 0.10%
Voltage Distortion H15	OK	18.5%	0.02% < 0.10%
Voltage Distortion H16	OK	2.1%	0.00% < 0.10%
Voltage Distortion H17	OK	16.7%	0.02% < 0.10%
Voltage Distortion H18	OK	0.9%	0.00% < 0.10%
Voltage Distortion H19	OK	15.6%	0.02% < 0.10%
Voltage Distortion H20	OK	0.8%	0.00% < 0.10%
Voltage Distortion H21	OK	13.3%	0.01% < 0.10%
Voltage Distortion H22	OK	0.5%	0.00% < 0.10%
Voltage Distortion H23	OK	11.9%	0.01% < 0.10%
Voltage Distortion H24	OK	1.1%	0.00% < 0.10%
Voltage Distortion H25	OK	9.7%	0.01% < 0.10%
Voltage Distortion H26	OK	0.6%	0.00% < 0.10%
Voltage Distortion H27	OK	8.4%	0.01% < 0.10%
Voltage Distortion H28	OK	0.5%	0.00% < 0.10%
Voltage Distortion H29	OK	7.3%	0.01% < 0.10%
Voltage Distortion H30	OK	1.0%	0.00% < 0.10%
Voltage Distortion H31	OK	6.0%	0.01% < 0.10%
Voltage Distortion H32	OK	0.8%	0.00% < 0.10%
Voltage Distortion H33	OK	5.2%	0.01% < 0.10%
Voltage Distortion H34	OK	1.3%	0.00% < 0.10%
Voltage Distortion H35	OK	4.2%	0.00% < 0.10%
Voltage Distortion H36	OK	1.2%	0.00% < 0.10%
Voltage Distortion H37	OK	2.0%	0.00% < 0.10%
Voltage Distortion H38	OK	1.1%	0.00% < 0.10%
Voltage Distortion H39	OK	1.3%	0.00% < 0.10%
Voltage Distortion H40	OK	0.9%	0.00% < 0.10%
Frequency groups up to 9kHz (61000-4-7) [L1]	OK		
Table 1 Harmonic Current Test (61000-3-2) [L1]	OK		
Harmonic Current Test 100%	OK		
100% Test H2	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H3	OK	3.3%	Limit met (0.076 A ≤



100% Test H4	OK		2.300 A) No test required (0.001 A ≤ 0.005 A)
100% Test H5	OK	6.6%	Limit met (0.075 A ≤ 1.140 A)
100% Test H6	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H7	OK	9.4%	Limit met (0.073 A ≤ 0.770 A)
100% Test H8	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H9	OK	17.4%	Limit met (0.070 A ≤ 0.400 A)
100% Test H10	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H11	OK	20.0%	Limit met (0.066 A ≤ 0.330 A)
100% Test H12	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H13	OK	29.6%	Limit met (0.062 A ≤ 0.210 A)
100% Test H14	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H15	OK	38.4%	Limit met (0.058 A ≤ 0.150 A)
100% Test H16	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H17	OK	39.9%	Limit met (0.053 A ≤ 0.132 A)
100% Test H18	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H19	OK	40.2%	Limit met (0.048 A ≤ 0.118 A)
100% Test H20	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H21	OK	39.6%	Limit met (0.042 A ≤ 0.107 A)
100% Test H22	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H23	OK	38.0%	Limit met (0.037 A ≤ 0.098 A)
100% Test H24	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H25	OK	35.4%	Limit met (0.032 A ≤ 0.090 A)
100% Test H26	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H27	OK	32.2%	Limit met (0.027 A ≤ 0.083 A)
100% Test H28	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H29	OK	28.3%	Limit met (0.022 A ≤ 0.078 A)
100% Test H30	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H31	OK	24.0%	Limit met (0.017 A ≤ 0.073 A)
100% Test H32	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H33	OK	19.5%	Limit met (0.013 A ≤ 0.068 A)
100% Test H34	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H35	OK	14.9%	Limit met (0.010 A ≤ 0.064 A)
100% Test H36	OK		No test required (0.000 A



			≤ 0.005 A)
100% Test H37	OK	10.6%	Limit met (0.006 A ≤ 0.061 A)
100% Test H38	OK		No test required (0.000 A ≤ 0.005 A)
100% Test H39	OK		No test required (0.004 A ≤ 0.005 A)
100% Test H40	OK		No test required (0.000 A ≤ 0.005 A)
Harmonic Current Test 150%	OK		
150% Test H2	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H3	OK	2.4%	Limit met (0.077 A ≤ 3.450 A)
150% Test H4	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H5	OK	4.8%	Limit met (0.076 A ≤ 1.710 A)
150% Test H6	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H7	OK	6.9%	Limit met (0.073 A ≤ 1.155 A)
150% Test H8	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H9	OK	12.8%	Limit met (0.070 A ≤ 0.600 A)
150% Test H10	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H11	OK	14.6%	Limit met (0.067 A ≤ 0.495 A)
150% Test H12	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H13	OK	21.5%	Limit met (0.063 A ≤ 0.315 A)
150% Test H14	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H15	OK	27.8%	Limit met (0.058 A ≤ 0.225 A)
150% Test H16	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H17	OK	28.7%	Limit met (0.053 A ≤ 0.199 A)
150% Test H18	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H19	OK	28.7%	Limit met (0.048 A ≤ 0.178 A)
150% Test H20	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H21	OK	28.0%	Limit met (0.043 A ≤ 0.161 A)
150% Test H22	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H23	OK	26.6%	Limit met (0.037 A ≤ 0.147 A)
150% Test H24	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H25	OK	24.5%	Limit met (0.032 A ≤ 0.135 A)
150% Test H26	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H27	OK	21.9%	Limit met (0.027 A ≤ 0.125 A)
150% Test H28	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H29	OK	19.0%	Limit met (0.022 A ≤



150% Test H30	OK		0.118 A) No test required (0.000 A ≤ 0.005 A)
150% Test H31	OK	16.3%	Limit met (0.018 A ≤ 0.109 A)
150% Test H32	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H33	OK	13.5%	Limit met (0.013 A ≤ 0.102 A)
150% Test H34	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H35	OK	10.5%	Limit met (0.010 A ≤ 0.096 A)
150% Test H36	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H37	OK	7.7%	Limit met (0.006 A ≤ 0.091 A)
150% Test H38	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H39	OK		No test required (0.004 A ≤ 0.005 A)
150% Test H40	OK		No test required (0.000 A ≤ 0.005 A)
Harmonic Current Test 200%	OK		
200% Test H2	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H3	OK	1.8%	Limit met (0.077 A ≤ 4.600 A)
200% Test H4	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H5	OK	3.6%	Limit met (0.076 A ≤ 2.280 A)
200% Test H6	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H7	OK	5.2%	Limit met (0.073 A ≤ 1.540 A)
200% Test H8	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H9	OK	9.6%	Limit met (0.070 A ≤ 0.800 A)
200% Test H10	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H11	OK	11.0%	Limit met (0.067 A ≤ 0.660 A)
200% Test H12	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H13	OK	16.1%	Limit met (0.063 A ≤ 0.420 A)
200% Test H14	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H15	OK	20.9%	Limit met (0.058 A ≤ 0.300 A)
200% Test H16	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H17	OK	21.5%	Limit met (0.053 A ≤ 0.265 A)
200% Test H18	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H19	OK	21.6%	Limit met (0.048 A ≤ 0.237 A)
200% Test H20	OK		No test required (0.001 A ≤ 0.005 A)
200% Test H21	OK	21.0%	Limit met (0.043 A ≤ 0.214 A)
200% Test H22	OK		No test required (0.001 A



			≤ 0.005 A)
200% Test H23	OK	19.9%	Limit met (0.037 A ≤ 0.198 A)
200% Test H24	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H25	OK	18.4%	Limit met (0.032 A ≤ 0.180 A)
200% Test H26	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H27	OK	16.4%	Limit met (0.027 A ≤ 0.167 A)
200% Test H28	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H29	OK	14.3%	Limit met (0.022 A ≤ 0.155 A)
200% Test H30	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H31	OK	12.2%	Limit met (0.018 A ≤ 0.145 A)
200% Test H32	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H33	OK	10.1%	Limit met (0.013 A ≤ 0.138 A)
200% Test H34	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H35	OK	7.9%	Limit met (0.010 A ≤ 0.129 A)
200% Test H36	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H37	OK	5.8%	Limit met (0.006 A ≤ 0.122 A)
200% Test H38	OK		No test required (0.000 A ≤ 0.005 A)
200% Test H39	OK		No test required (0.004 A ≤ 0.005 A)
200% Test H40	OK		No test required (0.000 A ≤ 0.005 A)
POHC Test	OK		POHC Limit met (0.078 A ≤ 0.251 A)
100% Test H2	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H3	OK	3.3%	Limit met (0.076 A ≤ 2.300 A)
100% Test H4	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H5	OK	6.6%	Limit met (0.075 A ≤ 1.140 A)
100% Test H6	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H7	OK	9.4%	Limit met (0.073 A ≤ 0.770 A)
100% Test H8	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H9	OK	17.4%	Limit met (0.070 A ≤ 0.400 A)
100% Test H10	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H11	OK	20.0%	Limit met (0.066 A ≤ 0.330 A)
100% Test H12	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H13	OK	29.6%	Limit met (0.062 A ≤ 0.210 A)
100% Test H14	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H15	OK	38.4%	Limit met (0.058 A ≤



100% Test H16	OK		0.150 A) No test required (0.001 A ≤ 0.005 A)
100% Test H17	OK	39.9%	Limit met (0.053 A ≤ 0.132 A)
100% Test H18	OK		No test required (0.001 A ≤ 0.005 A)
100% Test H19	OK	40.2%	Limit met (0.048 A ≤ 0.118 A)
100% Test H20	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H21	OK	26.4%	Limit met (0.042 A ≤ 0.161 A)
100% Test H22	OK		No test required (0.001 A ≤ 0.005 A)
150% Test H23	OK	25.3%	Limit met (0.037 A ≤ 0.147 A)
100% Test H24	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H25	OK	23.6%	Limit met (0.032 A ≤ 0.135 A)
100% Test H26	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H27	OK	21.4%	Limit met (0.027 A ≤ 0.125 A)
100% Test H28	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H29	OK	18.9%	Limit met (0.022 A ≤ 0.116 A)
100% Test H30	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H31	OK	16.0%	Limit met (0.017 A ≤ 0.109 A)
100% Test H32	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H33	OK	13.0%	Limit met (0.013 A ≤ 0.102 A)
100% Test H34	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H35	OK	10.0%	Limit met (0.010 A ≤ 0.096 A)
100% Test H36	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H37	OK	7.2%	Limit met (0.006 A ≤ 0.091 A)
100% Test H38	OK		No test required (0.000 A ≤ 0.005 A)
150% Test H39	OK		No test required (0.004 A ≤ 0.005 A)
100% Test H40	OK		No test required (0.000 A ≤ 0.005 A)

The uncertainty of our equipments for harmonic measurement is 0.2 %.

The measurement uncertainty is given with a confidence of 95 % with the coverage factor, $k = 2$.

4.5 Voltage changes, Voltage fluctuations and flicker

Test Standard	EN 61000-3-3:2013		
Test venue	Shield Room 3		
Tested Date	2020.07.14		
Input Ratings	230 V~, 50 Hz		
Temperature	20.2 °C	Humidity	40.6 % R.H.
Test result	Met Class A / Pass		

4.5.1 Test set-up and procedure

EUT was connected to the power analyzer system.

Measurement was performed to obtain the desired flicker parameters.

The measuring time depends on which parameters are to be measured.

Plt = 2 h

Pst = 10 min

Controls and automatic programs shall be set to produce the most unfavorable sequence of voltage changes, using only those combinations of controls and programs are mentioned by the manufacturer in the instruction manual.

4.5.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
Hamonics/Flicker	5001IX-208-150/300	S59160	C.I.	2020.08.07	<input type="checkbox"/>
Precision Power Analyzer	LMG670	01621511	ZES ZIMMER	2021.02.04	<input checked="" type="checkbox"/>
Reference Impedance	NI2415	A1511107	PACIFIC POWER SOURCE	-	<input checked="" type="checkbox"/>
AC Power Source	360-AMX	1774	PACIFIC POWER SOURCE	-	<input checked="" type="checkbox"/>
Waveform Generator	-	-	PACIFIC POWER SOURCE -	-	<input type="checkbox"/>



4.5.3 Test data

Test Name	Test Result	Limit Usage	Info
Dc Test [L1]	OK	4.3%	$0.1\% \leq 3.3\%$
Dmax Test [L1]	OK	3.6%	$0.1\% \leq 4.0\%$
Pst Test [L1]	OK	1.7%	$0.017 \leq 1.000$
Pit Test [L1]	OK	2.1%	$0.014 \leq 0.650$
Tmax Test [L1]	OK		

The uncertainty of our equipment for flicker measurement is 5 %.

The measurement uncertainty is given with a confidence of 95 % with the coverage factor, $k = 2$.

4.6 Electrostatic discharge

Test Standard	EN 61000-4-2:2009, Criteria: B		
Test venue	EMS 2		
Test Level	HCP/VCP/Contact: ± 4 kV		
Discharge Impedance	330 Ω / 150 pF		
Test Time	1 s		
Tested Date	2020.07.15		
Input Ratings	230 V~, 50 Hz		
Temperature	20.0 °C	Humidity	39.0 % R.H.
Atmospheric pressure	102.8 kPa		
Test Result	A Met by Criterion / Pass		

4.6.1 Test set-up and procedure

A ground reference plane was located on the floor, and connected to earth via a low Impedance connection.

The return cable of the ESD generator was connected to the reference plane.

In case of floor standing equipment, EUT was placed on the reference plane on 0.1 m of insulating Support.

In case of table top equipment, EUT was placed on a wooden table 0.8 m above the reference grounded floor.

A horizontal coupling plane (HCP) was placed on the table, and Connected to the reference plane via a 470 kohm resistor located in each end (0.5 mm insulating support between EUT and HCP).

In both cases a vertical coupling plane (VCP) of 0.5 m x 0.5 m was located 0.1 m from the EUT's sides.

The VCP was connected to the reference plane in the same matter as the HCP.

4.6.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Used
ESD Simulator	ESS-2000	1199C02476	NoiseKen	2021.02.03	■
ESD Simulator	ESS-2000	4010C63927	NoiseKen	2020.08.08	□
HAEFELY TEST AG	ONYX 16	177897	HAEFELY TECHNOLOGY	2021.02.03	□
HCP	-	-	-	-	■
VCP	-	-	-	-	■

4.6.3 Test data

Location	Applied Level (±)	Criteria	Results
VCP	4 kV	B	A
HCP	4 kV	B	A

* Satisfies the performance evaluation criteria.


Location (EUT)	Applied Level (±)	Method	Criteria	Results
(1) Metal cover Part	4 kV	Contact	B	A

* Performance evaluation criteria are satisfied.

It has been demonstrated that the ESD generator meets the specified requirements in the standard with at least a 95 % confidence.

4.6.4 ESD points

[ESD points 1]



4.7 Radiated RF electromagnetic field immunity

Test Standard	EN 61000-4-3:2006/A2:2010, Criteria: A		
Test venue	Chamber 3		
Tested Frequency	80 MHz ~ 1 000 MHz, (1 800, 2 600, 3 500, 5 000) MHz		
Test Level/Modulation	3 V/m, AM, 80 % (1 kHz sine wave)		
Distance	3 m		
Dwell Time	1 s		
Step Size	1 %		
Tested Date	2020.07.15		
Input Ratings	230 V~, 50 Hz		
Temperature	19.0 °C	Humidity	39.6% R.H.
Atmospheric pressure	101.2 kPa		
Test Result	A Met by Criterion / Pass		

4.7.1 Test set-up and procedure

The test was performed at 3 m full anechoic chamber.

For floor standing equipment, the EUT was standing on the floor.

For tabletop equipment, the EUT was located on a wooden table 0.8 m above the floor.

The EUT was tested all sides, horizontal and vertical polarization

4.7.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
SIGNAL GENERATOR	APSIN6010	111-433500010-0759	ANAPICO	2020.08.01	■
EPM Series Power Meter	E4419B	US38470360	Agilent	2020.09.10	■
POWER SENSOR	8481B	US37290730	Agilent	2020.08.02	■
POWER SENSOR	8481B	US37290731	Agilent	2020.08.02	■
SIGNAL GENERATOR	SMC100A	101441	ROHDE & SCHWARZ	2020.08.01	□
EMP Series Power Meter	E4419B	MY45104421	Agilent	2020.08.02	□
E-SERIES AVG POWER SENSOR	E9301A	MY41497377	Agilent	2020.08.02	□
E-SERIES AVG POWER SENSOR	E9301A	US3721356	Agilent	2020.08.02	□
RF AMPLIFIER	30S1G3M1	0331152	AMPLIFRER RESEARCH	-	□
RF AMPLIFIER	150W1000M1	0331746	AMPLIFRER RESEARCH	-	□
RF AMPLIFIER	SS1T3G250	-	Sangsan	-	■
RF AMPLIFIER	SS20T1000M1k	-	Sangsan	-	■
RF AMPLIFIER	SS3T6G100	-	Sangsan	-	■
LOG-PER ANTENNA	VULP 9118 E	855	SCHWARZBECK	-	■
HORN ANTENNA	OBH1080	201804039001	OCEAN MICROWAVE	-	■
SIGNAL GENERATOR	RGN6000B	15I00075SNO02	DARE Instruments	2020.08.01	□
RadiField	RFS1006B	15I00045SNO17	DARE Instruments	-	□
RF AMPLIFIER	150W1000M1	0331746	AMPLIFER RESEARCH	-	□
System Interface	SI-300-2	41668	TDK RF Solution	-	□
BI-LOG ANT	CBL6141A	4217	SCHAFFNER	-	□
SOUND ACOUSTIC TESTER	PST-1000	15004	P&E	2021.02.03	□□
MICROPHONE	UC-52	127762	RION	2021.02.04	□

4.7.3 Test data

Location (EUT)	Antenna Polarization	Results
Front Side	Horizontal	A
	Vertical	A
Rear Side	Horizontal	A
	Vertical	A
Left Side	Horizontal	A
	Vertical	A
Right Side	Horizontal	A
	Vertical	A

* Performance evaluation criteria are satisfied.

The measurement uncertainty is 1.3 dB

The measurement uncertainty is given with a confidence of 95 % with the coverage factor, $k = 2$.

4.8 Electric fast transient/burst immunity

Test Standard	EN 61000-4-4:2012, Criteria: B		
Test venue	EMS 2		
Coupling	Coupling & Decoupling Network		
Test Level	AC Mains: ± 1 kV, Signal: ± 0.5 kV		
Repetition Freq.	5 kHz, Tr / Th = 5 / 50 ns		
Coupling Time	60 s		
Tested Date	2020.07.15		
Input Ratings	230 V~, 50 Hz		
Temperature	20.2 °C	Humidity	39.2 % R.H.
Atmospheric pressure	102.8 kPa		
Test Result	A Met by Criterion / Pass		

4.8.1 Test set-up and procedure

A ground reference plane was located on the floor.

EFT generator was connected to reference ground plane via low impedance connection.

For floor standing equipment, EUT was placed on a 0.1 m wooden table.

For tabletop equipment, EUT was placed on a 0.1 m above the ground reference plane.

Test generator and coupling/decoupling network was placed on, and bounded to, the ground reference plane.

When using the coupling clamp, the minimum distance between the coupling plates and all other conductive surfaces, except the ground reference plane beneath the coupling clamp, Shall be 0.5 m.

4.8.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
EMC IMMUNITY TEST	EMCPRO PLUS	0906221	ThermoFisher Scientific	2020.08.01	<input type="checkbox"/>
Capacitive Clamp	CCL	0904227	ThermoFisher Scientific	2020.08.01	<input type="checkbox"/>
COMPACT IMMUNITY TEST SYSTEM	AXOS5	180998	HAEFELY EMC TECHNOLOGY	2021.01.30	<input checked="" type="checkbox"/>
THREE PHASES EXTERNAL CDN	FP-COMB32	181211	HAEFELY EMC TECHNOLOGY	2021.01.31	<input type="checkbox"/>
Capacitive Coupling Clamp	IP4B	181514	HAEFELY EMC TECHNOLOGY	2021.01.30	<input checked="" type="checkbox"/>



4.8.3 Test data

EFT Coupling Point	Level (±)	Criteria	Results
L	1 kV	B	A
N	1 kV	B	A
PE	1 kV	B	A
L – N	1 kV	B	A
L - PE	1 kV	B	A
N - PE	1 kV	B	A
L – N - PE	1 kV	B	A
LAN1, 2	0.5 kV	B	A

* Performance evaluation criteria are satisfied.

It has been demonstrated that the EFT/Burst generator meets the specified requirements in the standard with at least a 95 % confidence.

4.9 Surge immunity

Test Standard	EN 61000-4-5:2014, Criteria: B		
Test venue	EMS 2		
Coupling	Coupling & Decoupling Network		
Test Level	AC Mains (Line to Line): ± 0.5 kV, ± 1 kV (Line to PE): ± 0.5 kV, ± 1 kV ± 2 kV		
Number of surge/time	1 time / 60 s, total 5 times		
Tested Date	2020.07.15		
Input Ratings	230 V~, 50 Hz		
Temperature	20.4 °C	Humidity	39.4 % R.H.
Atmospheric pressure	102.8 kPa		
Test Result	A Met by Criterion / Pass		

4.9.1 Test set-up and procedure

A ground reference plane was located on the floor. SURGE generator was connected to reference ground plane via low impedance connection. For floor standing equipment, EUT was placed on a 0.1 m wooden table.

For table top equipment, EUT was placed on a wooden table (0.1 m) above the reference plane.

4.9.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
EMC IMMUNITY TEST	EMCPRO PLUS	0906221	ThermoFisher Scientific	2020.08.01	<input type="checkbox"/>
I/O Lin Coupler/Decoupler	CM-I/OCD	0906226	ThermoFisher Scientific	-	<input type="checkbox"/>
Telecom coupler/Decoupler	CM-TELCD	0905226	ThermoFisher Scientific	-	<input type="checkbox"/>
COMPACT IMMUNITY TEST SYSTEM	AXOS5	180998	HAEFELY EMC TECHNOLOGY	2021.01.30	<input checked="" type="checkbox"/>
THREE PHASES EXTERNAL CDN	FP-COMB32	181211	HAEFELY EMC TECHNOLOGY	2021.01.31	<input type="checkbox"/>



4.9.3 Test data

Coupling Point	Level (\pm)	Criteria	Results
L – N	0.5 kV, 1 kV	B	A
L – PE	0.5 kV, 1 kV, 2kV	B	A
N - PE	0.5 kV, 1 kV, 2kV	B	A

* Performance evaluation criteria are satisfied.

It has been demonstrated that the surge tester meets the specified requirements in the standard with at least a 95 % confidence.

4.10 Conducted disturbance induced by RF fields immunity

Test Standard	EN 61000-4-6:2014, Criteria: A		
Test venue	EMS 2		
Tested Frequency/ Test Level	150 kHz ~ 10 MHz / 3 V 10 MHz ~ 30 MHz / (3 ~ 1) V 30 MHz ~ 80 MHz / 1 V		
Modulation	AM 80 % (1 kHz sine wave)		
Coupling Method	AC Mains: Coupling & Decoupling Network, Signal: EM CLAMP		
Dwell Time	1 s		
Step Size	1 %		
Tested Date	2020.07.15		
Input Ratings	230 V~, 50 Hz		
Temperature	21.4 °C	Humidity	40.4 % R.H.
Atmospheric pressure	102.8 kPa		
Test Result	A Met by Criterion / Pass		

4.10.1 Test set-up and procedure

A ground reference plane was located on the floor.

The test was performed on a ground reference plane on a 0.1 m wooden table.

This test were performed using CDN for mains, clamp for signal and injection probe.

The frequency range was swept from 150 kHz to 80 MHz. This frequency range was modulated with 1 kHz sine wave at 80 %.

The signal generators provided the modulated frequency at a 1 % step size.

The power and all network cable, I/O cables longer than 3 m length were tested.

4.10.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Used
CDN M2	FCC-801-M2-16A	091165	FCC	2020.08.01	<input type="checkbox"/>
CDN M3	FCC-801-M3-16A	091994	FCC	2020.08.01	<input checked="" type="checkbox"/>
Coupling & Decoupling Network	CDN M4 PE	P1317118037	EM Test	2021.01.31	<input type="checkbox"/>
EM INJECTION CLAMP	F-203I-23mm	091199	FCC	2020.08.05	<input checked="" type="checkbox"/>
DECOUPLING NETWORK	F-203I-23mm-DCN	091200	FCC	-	<input type="checkbox"/>
Continuous Wave Simulator	CWS 500N1	P1247105423	EM Test	2021.01.31	<input checked="" type="checkbox"/>
Coaxial Fixed Attenuator	ATT6/75	P1306112966	EM Test	2021.01.30	<input checked="" type="checkbox"/>
SIGNAL GENERATOR	SMC100A	101441	ROHDE & SCHWARZ	2020.08.01	<input type="checkbox"/>
E-SERIES AVG POWER SENSOR	E9304A	MY41499023	Agilent	2020.08.02	<input type="checkbox"/>
E-SERIES AVG POWER SENSOR	E9304A	MY41499045	Agilent	2020.08.02	<input type="checkbox"/>
EPM Series Power Meter	E4419B	GB40202852	Agilent	2020.08.02	<input type="checkbox"/>
Attenuator	6 dB	091224-1	EMC Solutions	2020.08.01	<input type="checkbox"/>
RF AMPLIFIER	25A250AM1	0331227	AMPLIFIER RESEARCH	-	<input type="checkbox"/>
Coupling-Decoupling-Network	CDN M2/M3PE 16A	00012	SCHWARZBECK Mess-Electronik	2020.08.02	<input type="checkbox"/>
SOUND ACOUSTIC TESTER	PST-1000	15004	P&E	2021.02.03	<input type="checkbox"/>
MICROPHONE	UC-52	127773	RION	2021.02.04	<input type="checkbox"/>

4.10.3 Test data

Coupling Point	Coupling Method	Criteria	Results
AC Mains	CDN(M3)	A	A
LAN1, 2	EM CLAMP	A	A

* Performance evaluation criteria are satisfied.

The measurement uncertainty is 2.2 dB

The measurement uncertainty is given with a confidence of 95 % with the coverage factor, $k = 2$.

4.11 Voltage dips and short interruptions

Test Standard	EN 61000-4-11:2004, Criterion : B or C		
Test venue	EMS 2		
Number of reduction	3		
Duration	10 s		
Tested Date	2020.07.15		
Input Ratings	100-240 V~, 50/60 Hz		
Temperature	21.4 °C	Humidity	40.4 % R.H.
Atmospheric pressure	102.8 kPa		
Test result	A or C Met by Criterion / Pass		

4.11.1 Test set-up and procedure

The dips/interruption test is only applicable to AC mains.

The dips/interruptions were applied at zero crossing.

4.11.2 Test equipment used

Equipment	Model	Serial No.	Vendor	Next Cal. Date	Use
EMC IMMUNITY TEST	EMCPRO PLUS	0906221	ThermoFisher Scientific	2020.08.01	□
COMPACT IMMUNITY TEST SYSTEM	AXOS5 & DIP 116	180998	HAEFELY EMC TECHNOLOGY	2021.01.30	■

4.11.3 Test data

[50 Hz]

Test	Test Level (% U _T)	Periods	Criteria	Results
Voltage dips	> 95 %	0.5	B	A
	30 %	25	C	
Voltage interruptions	> 95 %	250	C	C (See note 1)

* Note 1: If the remaining voltage is less than 5% and 250 cycles are applied, the EUT is switched off, but normal operation is performed after the test is completed.

* Performance evaluation criteria are satisfied.

[60 Hz]

Test	Test Level (% U _T)	Periods	Criteria	Results
Voltage dips	> 95 %	0.5	B	A
	30 %	30	C	
Voltage interruptions	> 95 %	300	C	C (See note 1)

* Note 1: If the remaining voltage is less than 5% and 300 cycles are applied, the EUT is switched off, but normal operation is performed after the test is completed.

* Performance evaluation criteria are satisfied.

It has been demonstrated that the voltage dips and interruptions generator meets the specified requirements in the standard with at least a 95 % confidence.

5. EUT Photos

5.1 Test Setup Photographs

5.1.1 Conducted disturbance (AC mains power ports)

[Front view]



[Rear view]




5.1.2 Conducted disturbance (Telecommunication ports)

[Front view]




[Rear view]




5.1.3 Radiated disturbance (below 1 GHz)

[Front view]




[Rear view]






5.1.3 Radiated disturbance (above 1 GHz)

[Front view]



[Rear view]



5.1.4 Harmonics current emissions



5.1.5 Voltage changes, Voltage fluctuations and flicker




5.1.6 Electrostatic discharge




5.1.7 Radiated RF electromagnetic field immunity


[80 MHz to 1 000 MHz]




[1 800 MHz, 2 600 MHz, 3 500 MHz, 5 000 MHz]




5.1.8 Electric fast transient/burst immunity




5.1.9 Surge immunity



5.1.10 Conducted disturbance induced by RF fields immunity




5.1.11 Voltage dips and short interruptions



5.2 External Photographs of EUT

[Front view]



[Rear view]





Manufacturer / Approval Declaration

The following identical model(s): Helios64 – 4GB RAM